



Flip Over Saw

LF1000 260mm (10-1/4")

new



Flipper

Made You Flipped Over?



Miter saw




Light Weight Motor


Quick & Easy Conversion



Flipper




Rigid Cast Aluminium Table



- :: Tough Motor** ideal for
 - 1) Cutting Material
 - 2) Bevel Cut (Max.)
 - 3) Cutting Thick M

- :: Removable Support** enables to cut thin



Makita's First *Flip Over Saw* LF1000



Flip Over

Compact
Fold-Away Legs


Light Weight
32kg (70lbs) incl. legs



Table saw

l with load
(45 left)
aterial

b Fence
and wide materials



:: Soft Start
prevents breaker from tripping
at job sites

:: Electric Brake
for your safety



:: On-Off Switch
with Anti-Restart Function
protects operator from accidental start.
Also equipped with Lock-On
and Lock-Off function.

:: Constant Speed
maintains constant cutting speed
under operational load



Flip Over Saw

LF1000 260mm (10-1/4")

153



Miter saw

Table saw

Specification

Continuous rating Input	1,650W
Capacity	at 90 degrees : 20, (68)mm x 210, (155)mm (13/16, (2-11/16)" x 8-1/4, (6-1/8)"
	at 45 degrees : 50mm x 150mm (2" x 5-7/8")
Blade diameter	260mm (10-1/4")
No load speed	2,700rpm
Dimensions(L x W x H)	Miter saw : 660mm x 650mm x 800 (1,220)mm (26" x 25-1/2" x 31 (48)"
	Table saw : 660mm x 650mm x 845 (1,060)mm (26" x 25-1/2" x 33-1/4 (41-3/4)"
Net weight	32kg (70lbs)
Power supply cord	2.5m (8.2ft)

Standard Equipment

T.C.T. Saw Blade, Rip Fence, Bevel Guide, Push Stick, Blade Guard, Dust Cover, Dust Bag, Wrench 8

Items of standard equipment and specifications may differ from country to country.



- Double Insulation
- Electric Brake
- Dust Collecting
- Electronic Speed Control
- Soft Start
- Bevel Cutting 45 left

Cutting capacity

Miter saw (height x width)		Table saw (height)	
Cross Cut 	Bevel Cut (left) 	Compound Cut 	
20 mm x 210 mm (13/16" x 8-1/4") 68 mm x 155 mm (2-11/16" x 6-1/8")	Bevel angle 45° left	50 mm x 150 mm (2" x 5-7/8")	Cut angle 0° : 70 mm (2-3/4") 45° : 48 mm (1-7/8")



Makita Corporation

3-11-8, Sumiyoshi-cho, Anjo, Aichi 446-8502, Japan

PRINTED IN JAPAN Z23172-2 2005-6